

# Material Safety Data Sheet Sinnodur rapid

According to 1907/2006/EC

# 01. <u>Identification of substance</u>

Trade name: Sinnodur rapid

Application of the substance: Cement Hybrid system

Manufacturer/Supplier:

Sinnotec Innovation Consulting GmbH

Schäferweg 8 D-65207 Wiesbaden

**Telefon:** +49 (0) 6127-9160-374 **Telefax:** +49 (0) 6127-9160-375

**Emergency information:** 

**Telefon:** +49 (0) 6127-9160-374 **Telefax:** +49 (0) 6127-9160-375

\_\_\_\_\_

# 02. <u>Hazards identification</u>

#### Hazard designation:



Xi Irritan

**Information pertaining to particular dangers for man and environment:** R 36/38 Irritating to eyes and skin. **Classification system:** The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The danger designation "irritating" does not apply to the dry powder but rather only after moisture or water has been admitted (alkaline reaction). **Additional information:** low chromate content according to directive 2003/53 EG

<del>U</del>

# 03. Composition/ Data on components

### **Chemical characterization:**

**Description:** Mixture of the substances listed below with harmless additions.

Dangerous components:			
CAS: 14808-60-7	Quartz (SiO2)		40-<80%
EINECS: 238-878-4			
CAS: 65997-15-1	Cement	Xi; R 36/38-43	<40-60%
EINECS: 266-043-4			
CAS: 1305-78-8	Calciumoxid	Xi; R41	1-2,5%
EINECS: 215-138-9			

**Additional information:** For the wording of the listed risk phrases refer to section 16.

## 04. <u>First aid measures</u>

After inhalation: Supply fresh air; consult doctor in case of symptoms.

After skin contact: Wash immediately with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After eye contact: Rinse open eye for several minutes under running water. Then consult doctor.

**After swallowing:** Call a doctor immediately.Information for doctor see item 3

# Material Safety Data Sheet Sinnodur Waterstop Cement

According to 1907/2006/EC

## 05. <u>Fire fighting measures</u>

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

**Protective equipment:** No special measures required.

06. Accidental release measures

Person- related safety precautions: Avoid causing dust. Avoid skin contact. Avoid eye contact.

**Measures for environmental protection:** Avoid uncontrolled admittance of water. Avoid uncontrolled runoff after admittance of water. Avoid runoff into sewage system and receiving water.

Measures for cleaning/collecting: Collect mechanically. Keep away from water.

**Additional information:** Hardens after contact with water. After hardening it can be disposed of as concrete (European waste catalogue: EWC-Code: 170101).

## 07. <u>Handling and storage</u>

**Handling information for safe handling:** Avoid the formation of dust. Protect against moisture. Keep out of reach of children. Avoid skin contact. Avoid eye contact.

Information about protection against explosions and fires: No special measures required.

Storage requirements to be met by storerooms and containers: Store in closed rooms protected against moisture. Extraction of dust in compliance with BImSchG or Technical Instructions Air

**Information on storage in a common storage facility:** Suitable material for containers and pipes: Light metals and their alloys.

**Further information about storage conditions:** Keep container tightly closed. Store dry. Protect from humidity and keep away from water.

\_\_\_\_\_

## 08. Exposure controls and protection

Additional information about design of technical systems: No further data; see item 7.

# Components with limit values that require monitoring at the workplace:

65997-15-1 Cement

WEL Long-term value: 10\* 4\*\* mg/m³

\*inhalable dust \*\* respirable dust

1305-78-8 calcium oxide
WEL Long-term value: 2 mg/m³

Additional information: The lists that were valid during compilation were used as a basis.

**Personal protective equipment:** 

**General protective and hygienic measures:** Immediately remove soiled, saturated clothing. Keep away from food, beverages and animal feed. Do not eat, drink or smoke while working. Use skin protection cream for preventive skin protection. Wash hands before pauses and after work. Avoid contact with eyes and skin. Do not inhale dust / smoke / mist. Observe Professional Association regulations.

**Respiratory equipment:** Short term filter device: Filter P2. Code of Practice ZH 1 / 701 Hauptverband der Gewerbl. BG

**Protection of hands:** Protective gloves. Avoid contact with skin. Wear suitable protective gloves.

Material of gloves: Nitrile rubber, NBR

**Penetration time of glove material:** The exact break trough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye protection: Tightly sealed safety glasses. Code of Practice BGR 192 Hauptverband der Gewerbl. BG.

Avoid contact with eyes. In case of eye contact, rinse immediately and thoroughly with water. Seek medical advice.

Body protection: Protective work clothing.

# 09. Physical and chemical properties

**General Information:** 

**Form:** Powder **Colour:** Standard grey **Odour:** Odourless

# Material Safety Data Sheet Sinnodur Waterstop Cement

According to 1907/2006/EC

Change in condition:

Melting point/Melting range: > 1000°C Boiling point/Boiling range: Not determined

Flash point: Not applicable

**Self-inflammability:** Product is not self-igniting. **Danger of explosion:** Product is not explosive.

Density: Not determined

Solubility in / Miscibility with water: miscible

**pH-value** (10 g/l) at 20°C: ca. 11

## 10. Stability and reactivity

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Dangerous decompositions products:** No dangerous decomposition products known. No decomposition if

handled and stored according to specifications. Avoid the entrance of moisture

Dangerous reactions: No dangerous reactions known

Dangerous decomposition products: None if used properly. None if stored properly

# 11. <u>Toxicological information</u>

Acute toxicity:-

**Primary irritant effect:** 

On the skin: Irritates skin and mucous membranes.

On the eye: Irritating effect.

Experience with humans: If the information in items 6 and 8 is observed, no special dangers according to the

following risk phrase(s) are known: R 36/38

# 12. Ecological information

Only possible by unintentional release of larger amounts in connection with water through increased pH value. **General notes:** Water hazard class 1: slightly hazardous to water. Do not allow product to reach ground water, bodies of water or sewage system. According to appendix 4 VwVwS

## 13. Notes on disposal

**Product recommendation**: Taken up dry, it can be further used. After admittance of water (item 6) and hardening it can be disposed of as building rubble. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue		
17 00 00	Construction and demolition wastes (including excavated soil from contaminated sites)	
17 01 00	Concrete, bricks, tiles and ceramics	
17 01 01	concrete	

# Unclean packaging:

**Recommendation:** Disposal must be made according to official regulations.

#### 14. Transport information

Land transport ADR/RID and GGVS/GGVE /cross- border/domestic ADR/GGVS/E class: - Maritime transport IMDG/GGVSea:IMDG/GGVSea class: -

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA class: -

**Transport/Additional information:** Not a hazardous good according to the above regulations.

# Material Safety Data Sheet Sinnodur Waterstop Cement

According to 1907/2006/EC

# 15. Regulatory information

**Designation according to EC guidelines:** Although this product is not subject to labeling, we recommend that the safety suggestions are observed

Code letter and hazard designation of product:



Xi Irritant

Risk phrases: 36/38 Irritating to eyes and skin.

Safety phrases:

2 Keep out of the reach of children.

22 Do not breathe dust.

24/25 Avoid contact with skin and eyes

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

37 Wear suitable gloves.

Special labelling of certain preparations: low chromate content according to directive 2003/53 EG

**Product Code:** ZP 1 **National regulations:** 

Water hazard class: Water hazard class 1: slightly hazardous to water. After hardening: WGK 0 (self-assessment)

according to appendix 4 VwVwS

Other regulations, limitations and prohibition ordinances: Corrosive properties are set free when worked with

water; therefore experience is expected of the user and our notes on working are to be observed.

Professional Association Principles/Industrial Medicine regulations, e.g. principles of industrial medicine

Occupational Safety Regulations (VBG, ZH-1/Codes of Practice, etc.)

## 16. Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

#### Relevant R-phrases

36/38 Irritating to eyes and skin.

43 May cause sensitization by skin contact.

Department issuing data specification sheet: Product Safety department